



BULLET WIRELESS COLOR CCD CAMERA CAMERA TRANSMITTER

Model No.	CM-WX2403CP4
Imaging Sensor	1/3" Sony CCD
Number of Pixels	PAL: 500 (H) x 582 (V) / NTSC: 510 (H) x 492 (V)
Horizontal Resolution	420 TV Line
Minimum Illumination	0.5 Lux
Gain Control	Auto
White Balance	Auto
Transmission Power	10mW
Consumption Current	180mA
Modulation Mode	ASK/FSK
Bandwidth	100MHz
Channel Frequency	CH1=2414MHz / CH2=2432MHz / CH3=2450MHz / CH4=2468MHz
Effective Range	30-100 m
Power Supply	12V+10%DC
Cable Connector	RCA
Lens	3.7mm super cone pinhole lens
Dimensions	



RECEIVER

Model No.	CM-RV300
Channel Frequency	CH1=2414MHz / CH2=2432MHz / CH3=2450MHz / CH4=2468MHz
Channel	1-4 (Button-type switch)
Modulation Mode	FM/AM
Antenna	High Gain Directional SMA Antenna
Power Supply	12V+10%DC
Scan function	Auto/manual channel scanning mode
Video Output	1 Vp-p 75 Oms

STANDARD PACKING SET

2.4GHz Wireless camera
2.4GHz Wireless receiver
Antenna for receiver
AV Line
DC 12V Power Adaptor for camera
DC 12V Power Adaptor for receiver
User Manual

